ELSEVIER

Brain Research 674 (1995) 357–359

BRAIN RESEARCH

Author Index

Albers, H.E., see Johnson, A.E. (674) 153
Alyautdin, R.N., see Kreuter, J. (674) 171
Ando, A., see Yasui, Y. (674) 122
Ang, L.-C. and Shul, D.D.
Peptidergic neurons of subcortical white matter in aging and Alzheimer's brain (674) 329
Arendash, G.W., Sengstock, G.J., Sanberg, P.R. and Kem, W.R.
Improved learning and memory in aged rats with chronic administration of the nicotinic receptor agonist GTS-21 (674) 252
Arezzo, J.C., see Steinschneider, M. (674) 147
Aston-Jones, G., see Chen, S. (674) 107

Badiani, A., Browman, K.E. and Robinson, T.E.
Influence of novel versus home environments on sensitization to the psychomotor stimulant effects of cocaine and amphetamine (674) 291
Barberis, C., see Johnson, A.E. (674) 153
Bass, R., see Shohami, E. (674) 55
Beach, T.G., see Parent, A. (674) 347
Becker, D.P., see Kawamata, T. (674) 196
Besson, J.-M., see Buritova, J. (674) 211
Blokland, A., see Prickaerts, J. (674) 142
Bonthius, D.J., Lothman, E.W. and Steward, O.
The role of extracellular ionic changes in upregulating the mRNA for glial fibrillary acidic protein following spreading depression (674) 314
Breese, C.R., Freedman, R. and Leonard, S.S.
Glutamate receptor subtype expression in human postmortem brain tissue from schizophrenics and alcohol abusers (674) 82
Broersen, L.M., Heinsbroek, R.P.W., De Bruin, J.P.C., Uylings, H.B.M. and Olivier, B.
The role of the medial prefrontal cortex of rats in short-term memory functioning: further support for involvement of cholinergic, rather than dopaminergic mechanisms (674) 221
Browman, K.E., see Badiani, A. (674) 291
Brown, K.L., see Levin, B.E. (674) 307
Buritova, J., Honoré, P. and Besson, J.-M.
Indomethacin reduces both Krox-24 expression in the rat lumbar spinal cord and inflammatory signs following intraplantar carrageenan (674) 211
Bustos, G., see Sepúlveda, C. (674) 104

Chen, S. and Aston-Jones, G.
Evidence that cholera toxin B subunit (CTb) can be avidly taken up and transported by fibers of passage (674) 107
Cho, S.S. and Lucas, J.J.
Immunocytochemical study with an anti-transferrin binding protein serum: a marker for avian oligodendrocytes (674) 15
Choi-Miura, N.-H., see Kida, E. (674) 341
Chudler, E.H., Sugiyama, K. and Dong, W.K.
Multisensory convergence and integration in the neostriatum and globus pallidus of the rat (674) 33
Cicchetti, F., see Parent, A. (674) 347
Ciriello, J., see Hochstenbach, S.L. (674) 46
Clark, D., see Tong, Z.-Y. (674) 63
Coopersmith, R. and Leon, M.
Olfactory bulb glycogen metabolism: noradrenergic modulation in the young rat (674) 230
Corbett, A.M., see Jarnot, M.D. (674) 159
Corsini, G.U., see Vaglini, F. (674) 127
Cottet-Emard, J.M., see Soulier, V. (674) 188

Dalmaz, Y., see Soulier, V. (674) 188
Davidson, M., Shanley, B. and Wilce, P.
Increased NMDA-induced excitability during ethanol withdrawal: a behavioural and histological study (674) 91
De Bruin, J.P.C., see Broersen, L.M. (674) 221
Dellovade, T.L., Rissman, E.F., Thompson, N., Harada, N. and Ottinger, M.A.
Co-localization of aromatase enzyme and estrogen receptor immunoreactivity in the preoptic area during reproductive aging (674) 181
Ding, Y.-Q., Takada, M., Shigemoto, R. and Mizuno, N.
Spinoparabrachial tract neurons showing substance P receptor-like immunoreactivity in the lumbar spinal cord of the rat (674) 336
Di Scala, G., see Silveira, M.C.L. (674) 265
DiStefano, L., see Schneider, J.S. (674) 260
Domoto, T., see Yasui, Y. (674) 122
Dong, K., see Farid Ahmed, A.K.M. (674) 275
Dong, W.K., see Chudler, E.H. (674) 33
Dunn-Meynell, A., see Levin, B.E. (674) 307

Eckert, A., see Müller, W.E. (674) 133
Etgen, A.M., see Karkanias, G.B. (674) 26

Farid Ahmed, A.K.M., Dong, K. and Yamadori, T.
A retrograde double-labelling study of retinal ganglion cells that project ipsilaterally to vLGN and LPN rather than dLGN and SC, in albino rat (674) 275
Fournier, A., see Garcia de Yebenes, E. (674) 112
Freedman, R., see Breese, C.R. (674) 82

Garcia de Yebenes, E., Li, S., Fournier, A., St-Pierre, S. and Pelletier, G.
Regulation of proopiomelanocortin gene expression by neuropeptide Y in the rat arcuate nucleus (674) 112
Golabek, A.A., see Kida, E. (674) 341
Goldstein, L.B.
Right vs. left sensorimotor cortex suction-ablation in the rat: no difference in beam-walking recovery (674) 167
Gordon, I., Weizman, R. and Rehavi, M.
[^{3}H]GBR 12935 labels mainly the piperazine acceptor site in the rat prefrontal cortex (674) 205
Graeff, F.G., see Silveira, M.C.L. (674) 265
Gysling, K., see Sepúlveda, C. (674) 104

Harada, N., see Dellovade, T.L. (674) 181
Hartmann, H., see Müller, W.E. (674) 133
Heinsbroek, R.P.W., see Broersen, L.M. (674) 221
Henry, J.L., see Yashpal, K. (674) 97
Hernandez, L., see Parada, M.A. (674) 117
Hochstenbach, S.L. and Ciriello, J.
Plasma hypernatremia induces c-*fos* activity in medullary catecholaminergic neurons (674) 46
Honig, W., see Prickaerts, J. (674) 142
Honma, K.-i., see Honma, S. (674) 283

Honma, S. and Honma, K.-i.
Phase-dependent phase shift of methamphetamine-induced circadian rhythm by haloperidol in SCN-lesioned rats (674) 283
Honoré, P., see Buritova, J. (674) 211
Hosokawa, M., see Yamada, T. (674) 175
Hovda, D.A., see Kawamata, T. (674) 196

Ivanov, A.A., see Kreuter, J. (674) 171

Jackson, B.P. and Wightman, R.M.
Dynamics of 5-hydroxytryptamine released from dopamine neurons in the caudate putamen of the rat (674) 163
Jarnot, M.D. and Corbett, A.M.
High titer antibody to mammalian neuronal sodium channels produces sustained channel block (674) 159
Johnson, A.E., Barberis, C. and Albers, H.E.
Castration reduces vasopressin receptor binding in the hamster hypothalamus (674) 153
Jolles, J., see Prickaerts, J. (674) 142

Karkanias, G.B. and Etgen, A.M.
A thermodynamic analysis of estrogen regulation of α_2-adrenoceptor binding (674) 26
Katayama, Y., see Kawamata, T. (674) 196
Kawaguchi, N., see Yamada, T. (674) 175
Kawamata, T., Katayama, Y., Hovda, D.A., Yoshino, A. and Becker, D.P.
Lactate accumulation following concussive brain injury: the role of ionic fluxes induced by excitatory amino acids (674) 196
Kem, W.R., see Arendash, G.W. (674) 252
Kharkevich, D.A., see Kreuter, J. (674) 171
Kida, E., Pluta, R., Lossinsky, A.S., Golabek, A.A., Choi-Miura, N.-H., Wisniewski, H.M. and Mossakowski, M.J.
Complete cerebral ischemia with short-term survival in rat induced by cardiac arrest. II. Extracellular and intracellular accumulation of apolipoproteins E and J in the brain (674) 341
Kiss, J.P., Zsilla, G., Mike, A., Zelles, T., Toth, E., Lajtha, A. and Vizi, E.S.
Subtype-specificity of the presynaptic α_2-adrenoceptors modulating hippocampal norepinephrine release in rat (674) 238
Kitahama, K., see Soulier, V. (674) 188
Koch, S., see Müller, W.E. (674) 133
Kreuter, J., Alyautdin, R.N., Kharkevich, D.A. and Ivanov, A.A.
Passage of peptides through the blood–brain barrier with colloidal polymer particles (nanoparticles) (674) 171

Labarca, R., see Sepúlveda, C. (674) 104
Lajtha, A., see Kiss, J.P. (674) 238
Leon, M., see Coopersmith, R. (674) 230
Leon, M., see Najbauer, J. (674) 245
Leonard, S.S., see Breese, C.R. (674) 82
Levin, B.E., Brown, K.L., Pawar, G. and Dunn-Meynell, A.
Widespread and lateralized effects of acute traumatic brain injury on norepinephrine turnover in the rat brain (674) 307
Li, S., see Garcia de Yebenes, E. (674) 112
Lossinsky, A.S., see Kida, E. (674) 341
Lothman, E.W., see Bonthius, D.J. (674) 314
Lucas, J.J., see Cho, S.S. (674) 15

Maggio, R., see Vaglini, F. (674) 127
Meng, F., see Prickaerts, J. (674) 142
Mike, A., see Kiss, J.P. (674) 238
Miserendino, M.J.D. and Nestler, E.J.
Behavioral sensitization to cocaine: modulation by the cyclic AMP system in the nucleus accumbens (674) 299
Mizuno, N., see Ding, Y.-Q. (674) 336
Mossakowski, M.J., see Kida, E. (674) 341
Müller, W.E., Koch, S., Eckert, A., Hartmann, H. and Scheuer, K.
β-Amyloid peptide decreases membrane fluidity (674) 133

Najbauer, J. and Leon, M.
Olfactory experience modulates apoptosis in the developing olfactory bulb (674) 245
Nestler, E.J., see Miserendino, M.J.D. (674) 299
Novikov, M., see Shohami, E. (674) 55

Ohning, G., see Okumura, T. (674) 137
Okumura, T., Taylor, I.L., Ohning, G., Taché, Y. and Pappas, T.N.
Intracisternal injection of TRH antibody blocks gastric emptying stimulated by 2-deoxy-D-glucose in rats (674) 137
Olivier, B., see Broersen, L.M. (674) 221
Ottinger, M.A., see Dellovade, T.L. (674) 181
Overton, P.G., see Tong, Z.-Y. (674) 63

Panizzon, K.L., see Wallis, R.A. (674) 75
Pappas, T.N., see Okumura, T. (674) 137
Parada, M.A., Puig de Parada, M., Rada, P. and Hernandez, L.
Sulpiride increases and dopamine decreases intracranial temperature in rats when injected in the lateral hypothalamus: an animal model for the neuroleptic malignant syndrome? (674) 117
Pardini, C., see Vaglini, F. (674) 127
Parent, A., Cicchetti, F. and Beach, T.G.
Calretinin-immunoreactive neurons in the human striatum (674) 347
Pawar, G., see Levin, B.E. (674) 307
Pelletier, G., see Garcia de Yebenes, E. (674) 112
Pequignot, J.M., see Soulier, V. (674) 188
Pitcher, G.M., see Yashpal, K. (674) 97
Pluta, R., see Kida, E. (674) 341
Prickaerts, J., Blokland, A., Honig, W., Meng, F. and Jolles, J.
Spatial discrimination learning and choline acetyltransferase activity in strep-tozotocin-treated rats: effects of chronic treatment with acetyl-L-carnitine (674) 142
Puig de Parada, M., see Parada, M.A. (674) 117

Rada, P., see Parada, M.A. (674) 117
Rehavi, M., see Gordon, I. (674) 205
Reser, D., see Steinschneider, M. (674) 147
Rissman, E.F., see Dellovade, T.L. (674) 181
Robinson, T.E., see Badiani, A. (674) 291
Rose, S.P.R., see Steele, R.J. (674) 352

Sanberg, P.R., see Arendash, G.W. (674) 252
Sandner, G., see Silveira, M.C.L. (674) 265
Satoh, T., see Yamada, T. (674) 175
Scheuer, K., see Müller, W.E. (674) 133
Schneider, J.S. and DiStefano, L.
Enhanced restoration of striatal dopamine concentrations by combined GM1 ganglioside and neurotrophic factor treatments (674) 260
Schroeder, C.E., see Steinschneider, M. (674) 147
Seguel, M., see Sepúlveda, C. (674) 104
Sengstock, G.J., see Arendash, G.W. (674) 252
Sepúlveda, C., Bustos, G., Gysling, K., Seguel, M. and Labarca, R.
Effects of in vitro ethanol and chronic ethanol consumption on the release of excitatory amino acids in the rat hippocampus (674) 104
Shanley, B., see Davidson, M. (674) 91
Shigemoto, R., see Ding, Y.-Q. (674) 336
Shohami, E., Novikov, M. and Bass, R.
Long-term effect of HU-211, a novel non-competitive NMDA antagonist, on motor and memory functions after closed head injury in the rat (674) 55
Shul, D.D., see Ang, L.-C. (674) 329
Silveira, M.C.L., Sandner, G., Di Scala, G. and Graeff, F.G.
C-*fos* immunoreactivity in the brain following electrical or chemical stimulation of the medial hypothalamus of freely moving rats (674) 265
Soulier, V., Dalmaz, Y., Cottet-Emard, J.M., Kitahama, K. and Pequignot, J.M.
Delayed increase of tyrosine hydroxylation in the rat A2 medullary neurons upon long-term hypoxia (674) 188
St-Pierre, S., see Garcia de Yebenes, E. (674) 112
Steele, R.J., Stewart, M.G. and Rose, S.P.R.
Increases in NMDA receptor binding are specifically related to memory formation for a passive avoidance task in the chick: a quantitative autoradiographic study (674) 352
Steinschneider, M., Reser, D., Schroeder, C.E. and Arezzo, J.C.
Tonotopic organization of responses reflecting stop consonant place of articulation in primary auditory cortex (A1) of the monkey (674) 147
Steward, O., see Bonthius, D.J. (674) 314

Stewart, M.G., see Steele, R.J. (674) 352
Stroh, T. and Zupanc, G.K.H.
Somatostatin in the prepacemaker nucleus of weakly electric fish, *Apteronotus leptorhynchus*: evidence for a nonsynaptic function (674) 1
Sugiyama, K., see Chudler, E.H. (674) 33

Taché, Y., see Okumura, T. (674) 137
Takada, M., see Ding, Y.-Q. (674) 336
Taylor, I.L., see Okumura, T. (674) 137
Thompson, N., see Dellovade, T.L. (674) 181
Tong, Z.-Y., Overton, P.G. and Clark, D.
Chronic administration of (+)-amphetamine alters the reactivity of midbrain dopaminergic neurons to prefrontal cortex stimulation in the rat (674) 63
Toth, E., see Kiss, J.P. (674) 238
Tsumori, T., see Yasui, Y. (674) 122

Uylings, H.B.M., see Broersen, L.M. (674) 221

Vaglini, F., Pardini, C., Maggio, R. and Corsini, G.U.
Role of excitatory amino-acids in diethyldithiocarbamate-induced cell death in mesencephalic cultures (674) 127
Vizi, E.S., see Kiss, J.P. (674) 238

Wallis, R.A. and Panizzon, K.L.
Delayed neuronal injury induced by sublethal NMDA exposure in the hippocampal slice (674) 75
Weizman, R., see Gordon, I. (674) 205
Wightman, R.M., see Jackson, B.P. (674) 163
Wilce, P., see Davidson, M. (674) 91
Wisniewski, H.M., see Kida, E. (674) 341

Yamada, T., Kawaguchi, N., Hosokawa, M. and Satoh, T.
Localization of an isoform of carboxylesterase in rat brain differs from that in human brain (674) 175
Yamadori, T., see Farid Ahmed, A.K.M. (674) 275
Yashpal, K., Pitcher, G.M. and Henry, J.L.
Noxious peripheral stimulation produces antinociception mediated via substance P and opioid mechanisms in the rat tail-flick test (674) 97
Yasui, Y., Tsumori, T., Ando, A. and Domoto, T.
Demonstration of axon collateral projections from the substantia nigra pars reticulata to the superior colliculus and the parvicellular reticular formation in the rat (674) 122
Yoshino, A., see Kawamata, T. (674) 196

Zelles, T., see Kiss, J.P. (674) 238
Zsilla, G., see Kiss, J.P. (674) 238
Zupanc, G.K.H., see Stroh, T. (674) 1